


Lung Cancer and Black Americans




Lung Cancer is the Leading Cause of Cancer Deaths Among Black Americans



INCIDENCE RATE


(2014-2018 PER 100,000 OF POPULATION)



5-year survival is worse in black patients despite having a lower incidence

FIVE YEAR RELATIVE SURVIVAL RATES

(2011-2017)



* Data for Black race includes both Hispanic and Non-Hispanic Ethnicities

Howlader N, Noone AM, Krapcho M, Miller D, Brest A, Yu M, Ruhl J, Tatalovich Z, Mariotto A, Lewis DR, Chen HS, Feuer EJ, Cronin KA (eds). SEER Cancer Statistics Review, 1975-2017. National Cancer Institute. Bethesda, MD, https://seer.cancer.gov/csr/1975_2017/, based on November 2019 SEER data submission, posted to the SEER web site, April 2020.


SEER*Explorer: An interactive website for SEER cancer statistics [Internet]. Surveillance Research Program, National Cancer Institute. [Cited 2021 April 15]. Available from <https://seer.cancer.gov/explorer/>.

Lung Cancer and Black Americans



Black Americans Are Under-Represented in Clinical Trials

The percentages for clinical trials participation are: ¹



¹<https://acsjournals.onlinelibrary.wiley.com/doi/full/10.1002/cncr.28168>

Make Your Voice Heard, Join a Clinical Trial

LungMATCH can help connect you with clinical trials and answer any treatment questions you may have:

Call: 1-800-298-2436 OR

Email: support@go2foundation.org